FOR MYSORE STATE

SERIES.

Passed
82
Supl

G.O. No. 950

Dated 17/6/81

[Despatch Abstract.]

C.P.S - S.K. Area - Block III - D.W.S - Construction of a well at Sanar Village, Karkal Tq Sanction accorded by the I-Z-O (M) Papers rec

ACCOUNTS AND SPECIAL OFFICER
18 FEB 1954
AGRICULTURE DEPARTMENT

Ref.C.No.2573/62-B.

Proceedings of the Project Executive Officer, [illegible], dated 12th February, 1954.

SRI [illegible].

Sub:- COMMUNITY PROJECTS - South Kanara area - Drinking Water Supply - Block III - Construction of a well in Sanoor village - Estimate - Sanctioned.

****

Sanction is accorded to an expenditure not exceeding Rs. (1,830/-) One thousand eight hundred thirty only being three-fourths of the estimated cost of Rs. 2,440/- for constructing a well in Sanoor village (Item No. 27 in the additional list approved by the Executive Committee of the Project Advisory Committee on 7-8-1953). The balance of Rs. 610/- required to complete the work should be met from contributions from the Panchayat Board, Sanoor. The sanction is counted against the relevant provision in the Overall Programme.

2. The expenditure should be debited to "63.B.Community Development Projects-f. Public Health - Health and Rural Sanitation (including Drainage and water supply) - Works".

Project Executive Officer 16.2.54

Copy submitted to the Director of Community Projects, Agriculture (C.P.) Department, Fort St.George, Madras 9 (2 copies) with a copy of the sanctioned estimate.

The Secretary, Community Projects Administration, Rashtrapathi Bhavan, New Delhi.

The Accountant General, Madras.

The Collector of South Kanara, Mangalore.

The Inspector of Local Boards, Madras for favour of necessary acti

The Regional Inspector of Municipal Councils and Local Boards, Coimbatore for favour of necessary acti .

The President, Panchayat Board, Sanoor for action to get the expenditure sanctioned by competent authority.

Copy to Asst.Engineer with estimate. The draft agreement should be submitted quickly. A copy of the estimate may be taken and the sanctioned copy resubmitted along with the draft agreement.

Copy to Asst.Project Officer, Karkal.

Copy to Accountant.

Copy to B Clerk.

F/15.2.

[illegible]

[illegible] Estimate of Quantity in Driven Gravel Pack Well

[illegible] of Pipe

	L	W	D	Nos	Total
[illegible]					
relevant dimensions of well					
1st depth					
2nd depth					
3rd depth					
[illegible]					
[illegible]					
[illegible]					
[illegible]					
[illegible]					

No.	L.	B.	D.	
Abstract of Quantities of Slate				
Roof [illegible]	1 × 22/7 × 12-9	× 3-3	× 0-4	
[illegible]				
[illegible]				
[illegible]		

Sound — 3 H.P. F.
L. Shore — 1 — M.C.
C. Shore } 1 — H.P.
C. Metal }
Cement — 30 H.P.
Wood — Pneumatic

Earth moving Plant will be required in the Reclaimed Marsh up to 10 yds. from Road

1	1st depth Subway Excn.	13-4	cft.	13	4
1	2nd depth Road Excn.	32-0	"	32	1
1	3rd depth " "	4-2-0	"	4-2	2
1	4th depth " "				
	Trench	27-0	"	27	1
1	5th " "	16-3	"	16	3
1	6th " "	2-7-4	"	2-7	4
1	7th " "	3-3-8	"	3-3	8

2 Cement Mortar 1:3

1	cft. Road crct.	2-8-0	cft.	2	8
1	cft. Cement Conc.	3-7-5	"	3	7
1	cft. Road load 2 to 3				
1	cft. Cement load 3 to 4	15 tins			
	Pneumatic Stamps 3				
1	cft. Hanging shutter	4-8-0	cft.	4	8

3 Cement Mortar 1:4

1	cft. Sound crct.	2-8-0	cft.	2	8
1	cft. Cement Conc.	3-7-5	"	3	7
1	cft. Road load 3 to 4	11-0-4	"	11	0
1	cft. Cement load 4 to 5	4-2-2	"	4	2
1	cft. Hanging Shutt.	4-8-0	"	4	8
	Sundries	1		1	0

Random Rubble Dry Stone

	Dry Stone Pitching	9-0-0	cft.	9	0
1	cft. Rough Stone	19-5-0	cft.	19	5
1	cft. Rough Stone load	9-0-6	"	9	7
1	Foot Footpaths	1-8-0	Sqd.	3	4
1	Measured Yard Area	1-1-2	Sqd.	11	4
	Common Rubble	0-11-0		11	0



Rupees two thousand four hundred and forty only.

Contractor signed.

Earthwork (H)

Memo: No 9015-Agri (C.P. Audit)/54-1 Dt 2-3-54

Sub:- Community Projects —
Standard data — class of sk
labour for I — II — III —



Rep from the E.E.O. Mangalore,
Dt. No. 2573/52-A Dt 12-2-54

The Superintending Engineer
Coimbatore Circle, is informed
that works of the Community
Projects scheme are entrusted
to the beneficiaries for execution
at estimate rates based on those in the
approved statistics. It is seen
that in the estimates for such works
approved by the Executive Engineers and
Divisional Engineers, (Highways),
the data for Laterite stone in
cement mortar (1:5) allows for
1st class rates for brick-layer
and stone-cutter labour. As
this item is numbered as 76-F
in the addenda to the data, it
is presumed that for purposes
of adoption of the class of skilled labour
the item is to be grouped with
item No 76 of the main data,
which is for random rubble
masonry. A wide foot-note in
the addenda & Corrigenda to
Standard data book of South-
kanara District: Accordingly,
the ~~class of~~ skilled labour
allowable for this item will be
only "Second class." The

Superintendin

superintending Engg
requested to confirm this
urgently.

To:

The Superintending Engineer
P.W.D.
Coimbatore circle.
Coimbatore

OP
Pay 1/3 RA. 15 days.

ER 17.3.54

RO 1.4.54

17

IMMEDIATE.

PUBLIC WORKS DEPARTMENT

From
Sri D.P.Jog,B.E.,I.S.E.
Superintending Engineer
Coimbatore Circle
Coimbatore.

Sir,

Sub:- Community Projects - Standard data-class of skilled abour for Laterite stone masonry -regarding-

Ref:- Your Memo.no. 9015 Agri(C.P.Audit)/54-1 dt 2-3-54.

The main item for the items 76:B. to 76:F. is 76-A and not 76 which is for Random Rubble in clay. Hence the class of labour to be adopted in respect of bricklayer and stone-cutter of [illegible] 76:F. is A class only.

Sd/-D.P.Jog, 11-3-54
Supdtg.Engr.Coimbatore cir

forwarded/by order

Personal Assistant

Agri (C.P. Audit) Deptt

Memo: No. 9015-Agri (C.P. Audit) 54-2 dt 27-3-5

Sub:- Community Projects - Standard data - Class of skilled labour for laterite stone masonry.

P.A. issue
27/3/54

Ref:- From the Superintending Engineer Coimbatore Circle, No. D-3. 4167/52-128 dated 2-3-54

p: 13 Cif.

It is seen from the addenda to the Standard Schedule of rates, that it allows a rate of Rs. 3/2/- only for laterite stone cutter according to item No. 2A. It is therefore presumed that this class of labour only is to be adopted for "laterite masonry" against the requisite number of Stone cutters and that it does not involve I class stone cutter at Rs. 3/8/- per day. Again, for all classes of Coursed rubble, Random rubble and brick masonry works only II class Masons or bricklayers are allowed as per Schedule except for brick work using I class bricks, where atleast ½ No. bricklayer I class is allowed. In view of the above the S.E. is requested to examine ~~the~~ laterite again whether ~~II class~~ stone cutter ~~rates of~~ & bricklayer will not be sufficient for laterite

Public Works Department.

From
Sri.D.P.Jog, B.E.,M.I.E.,
(Ind),I.S,E.,
Superintending Engineer,
Coimbatore Circle, Coimbatore.

78498

To
The Accounts & Special Officer
Agriculture (Community Project)
Department, M a d r a s.

Sir, No.D3 : 637 M /4167/52.174 dated 9-6-54.

Sub:-Standard data - class of skilled labour for laterite stone masonry.

Ref:-Your Memo No.9015 Agri;(CP & Audit) 54/2 dated 27-3-54.

As there is a separate rate of Rs.3/2/- per day for Laterite stone cutter in page 34 of the Addenda to the Standard Schedule of rates, the classification of stone cutter as I class in Schedule item 76 A of the Standard data is not necessary and this rate may be adopted.

2nd class brick layer will be sufficient for the schedule item No. 76 A of the standard data book.

Necessary addendum will also be issued in this connection.

Sd.D.P.Jog,8/6/54
Suptg.Engr.,Coimbatore Circle.

Forwarded/By order

K.S.Ramaswamy
9-6-54

Personal Assistant.

Proceedings of the Inspector of Mj.Cls and Local Boards, Madras-I.

Sri J. Sivanandam, I..A.S.,

L.DIS.No. 8774/54 Dated 14.4.1954.

Sub:- Contribution-- Sanur panchayat-- South Kanara District--Rs.600/- (Rupees six hundred only) towards the sinking of a well at Sanur under the Community Project --sanctioned.

READ:- From the President, Sanur panchayat.
Resolution No.39 d 11-11-53 of the Sanur panchayat.
From the Additional District Panchayat Officer, South Kanara endorsement N.Dis.3285/53 dated 10.2.54.
From the Regional Inspector of Local Boards, Western Range, Coimbatore endorsement N.Dis.3570/54 dated 24.2.54.

O R D E R:-

S A N C T I O N E D.

50779

GW 15/54

2573/53.

Lt. Gopalakrishnan

4/4 FOR INSPECTOR. 20/4

To

The President, Sanur Panchayat, South Kanara District.

Copy to the Regional Inspector of Local Boards, Western Range, Coimbatore.

Copy to the Additional District Panchayat Officer, South Kanara.

Copy to the Secretary to Government, Agriculture(C.P) Department.

Copy to the Assistant Project Officer, Karkal.

Copy to F-7.

Agri (D-V) Memo

Memo: No. 9015-Agri (D-V)/54-3 M/17-6-54.

Sub:- C.P.S. South Kanara Area Block III - Drinking water supply - Construction of a well at Samoor village, Karkal Taluk - Sanctioned estimate.

---

p:1 c.f. Ref:- From the P.E.O., Nangalore Proceedings Ref. C. No. 2573/53-B M/12 2/54

p:19 c.f. A Copy of letter No. D.3.637 M/4167/52.174 dated 9-6-54 from the Superintending Engineer, Coimbatore Circle, is hereunto forwarded to the P.E.O., Nangalore. He is requested to revise the rate for "Laterite stone masonry" as indicated in the S.E's letter for adoption in the execution of this and all other works already sanctioned or to be sanctioned.

15/6/54 16/6/54

To.

The P.E.O., Mamgalore South Kanara Dist.
(with enclo: 1 copy of S.E's letter)

Copy to the P.E.O., Palghat - Malabar Dist.
(with enclo: 1 copy of S.E's letter)

Copy to C. No. 11892/54.
Copy to C. No. 11893/54.
Copy to C. No. 11894/54.
Copy to D-Tech. Asst.

SF (we)

Agri (C.P. Audit) Dept.

L.dis.No. 7015/54-1

Sub:- C.P.S. South Kanara Area - Block III - Drinking water Supply - Construction of a well at Sanoor village, Karkal Taluk - Sanctioned estimate.

---

p:1 c.f. Ref. From the P.E.O. Mangalore, Proceeding Ref. C.No. 2573/53-B.M/12-2-54

Please see the proceedings of the P.E.O., Mangalore, Copy at p:1 c.f., sanctioning an expenditure of Rs 1830/- at 3/4ths of the estimated cost of Rs 2440/- for the construction of a well at Sanoor village in Karkal Taluk.

This work is not included in the Overall programme. The P.E.O. has stated that this is one of the works in the additional list approved by the Project Executive Committee on 7-8-53. The P.E.O. has however, not sent this list to Govt for approval with details of financial implications. In Memo: No. 3327-B-Agri (C.P. Audit)/53-1 M/31-12-53, all P.E.O's. were asked to approach Govt for sanction to works not listed in the Overall programme. Again in Memo: No. 5348-Agri (C.P. Audit)/54-1 dated 31-1-54, all P.E.O's. were asked to prepaire a list of such works in the form of a supplemental programme, and to submit it to Govt for approval. Since the P.E.O. Mangalore, is being urged to expedite the submission of the list in another case the matter need not be pursued.

(Not put up)

The estimate, based on which the sanction is accorded by the P.E.O., has been technically approved by the Asst Engineer (Highways) Mangalore.

The rates adopted in the estimate for Cement Concrete (1:4:8), and laterite stone masonry require Correction. In the case of the former item, the data should be corrected adopting the reduced quantities of aggregate, Sand & Cement as stipulated in the

S.A.I.E.

Items: No. 27194-Agri (C.P.Audit)/53-3 dt/ 2-11-53. As all the P.E.O.s have been asked in this memo: to adopt the reduced quantities for cement concrete items in arriving at the rates for paying for work done, (even in the case of works sanctioned), this point need not again be pointed out to the P.E.O. (Not put up

As regards laterite stone in cement mortar (1:5), the data should provide for 2nd class rates for brick layer and stone cutter labour, as per the foot-note in the addenda & Corrigenda to the Standard data book of South Kanara District for 1952-53, still in force. This "foot-note" says that for items in the addenda to the data, the classes of labours allowed for the main items in the data as detailed in the addenda & Corrigend should be adopted. As the item of laterite masonry is numbered as 76-F. in the addendum data and is not in the main data, the question whether this item is to be grouped for purposes of adoption of the class of skilled labour with item No. 76 of the main data, which is for Random rubble masonry, may have to be clarified. As the S.E., Coimbatore circle, is the Controlling authority for rates in this District and as he had issued the addenda & Corrigenda to the data book, he may be asked to clarify.

A draft memo: is put up for approval.

2/3/54.

26/2/54.

27/2/54 Issued as Memo no. 9015 Agri-(C.P. Audit) 54-1 dt - 2-3-54.

Ref: From the ..., ..., Coimbatore circle No. D-3. 4167/52-128. dated 12-3-54.

Please see the reply from the

Superintending Engineer, Coimbatore Circle, at p: 13 c/f — The S.E., states that I class brick-layer & Stone Cutter are to be allowed for all items of laterite masonry. But, according to the addenda to the standard schedule of rates, a rate of Rs 3/2/- only, is allowable for laterite Stone-Cutter as per item No. 2A., and this class of labour only is to be adopted for latrite masonry. Thus, the item does not involve I class stone-cutter at Rs 3/8/- per day. Again, for all classes of Coursed rubble and Random rubble masonry and also for brick masonry using I class bricks, only II class Masons or bricklayers are allowed as per schedule, except only one ½ No. brick layer I class for brickwork using I class bricks. In view of the above, the S.E. may be asked to examine the rulings again.

A draft memo. is submitted for approval.

Issued as Memo. 9015 Agri. (EXP Budget)/57-2 d. 27-3-1957

Ref:- From the Inspector of Municipal Councils & Local Boards, Madras-1 L. Dis. No. 8774/54 dated 14-4-54.

10 D.C.P.

The proceedings of the Inspector of Municipal Councils & Local Boards, Madras, at p: 17 c/f may be perused. An expenditure of Rs 600/- has been sanctioned therein as Contribution from the

Samur Panchayat Boards towards the Construction of a well at Samur village. But the P.E.O. whilst according sanction to this work had expected a contribution of Rs 610/- from the Samur Panchayat Board at 1/4th of the estimated cost of Rs 2440/-. Perhaps, the sum of Rs 600/- now sanctioned may be sufficient to meet 1/4th part of the ultimate cost of the work. No action may be necessary.

The reply from the S.E. Coimbatore Circle, to the Memo: at p: 15 c.f. may be awaited.

[illegible]

From the S. E. Coimbatore circle Memo 3.637 M/4187/52. 174 dt 9.6.54 — p 19 c.f.

Please see the reply from the Superintending Engineer, Coimbatore Circle, at p: 19 c.f. The S.E., has now agreed at 2nd class brick-layer and a rate of Rs 3/2/- per day for Laterite Stone-cutter will be sufficient for Laterine masonry works. He has also stated that necessary addendum will be issued to this effect.

A Copy of the S.E's letter may be forwarded to the P.E.O., Mangalore with instructions to follow this ruling in respect of this work and other works sanctioned by him or to be sanctioned hereafter.

The draft memo: put up may be approved. After issue, the papers may be recorded as a Rt. G.O., with a Call book entry for 12 months to watch the completion of.

of the work -

G.O. Rt No 950 dt 17-6-54.

Abstract:- C.P.: South Kanara Area - Block III - Drinking water Supply - Construction of a well at Samoor village, Karkal Taluk - Sanction accorded by the - P.E.O., Mangalore - Papers recorded -

C.B. 12 Months.